



Light quality control


## GL SpectroSoft Flicker Report

Measurement name: 2022-11-15T14:34:28  
Measurement time: 2022-11-15 14:34:28  
Report time: 2022-11-15 14:35:01

Client name: Azzardo Ligthing  
Model name: NIKO 2  
Item No: AZ4585  
Serial No.:  
Made by: John Smith

|                 |            |
|-----------------|------------|
| Flicker         | 2190,03 Hz |
| Flicker index   | 0,002377   |
| Flicker percent | 2,48 %     |
| SVM             | 0,0015     |
| SAM             | 2,59       |
| Mp              | 0,042      |
| VESA flicker    | -69,28     |
| JEITA flicker   | -72,29     |
| PstLM           | 0,0714     |


### Flicker chart



### FFT chart



Light quality control






Light quality control


### California's JA10 Test Method

|                         |        |
|-------------------------|--------|
| Flicker percent 1000 Hz | 0,549  |
| Flicker percent 400 Hz  | 0,303  |
| Flicker percent 200 Hz  | 0,226  |
| Flicker percent 90 Hz   | 0,141  |
| Flicker percent 40 Hz   | 0,0724 |

#### FFT filtered 1000 Hz




#### FFT filtered 400 Hz






Light quality control

### FFT filtered 200 Hz



### FFT filtered 90 Hz



### FFT filtered 40 Hz



Light quality control

