



Light quality control


GL SpectroSoft Flicker Report

Measurement name: 2024-09-27T16:29:50
Measurement time: 2024-09-27 16:29:50
Report time: 2024-09-27 16:30:21

Client name: Azzardo Ligthing
Model name: Alfa DALI Kira Track Magnetic 36W CCT
Dimm
Item No: AZ6295
Serial No.:
Made by: John Smith

| | |
|-----------------|-----------|
| Flicker | 849,79 Hz |
| Flicker index | 0,04318 |
| Flicker percent | 20,92 % |
| SVM | 0,069 |
| SAM | 1,90 |
| Mp | 0,034 |
| VESA flicker | -68,72 |
| JEITA flicker | -71,73 |
| PstLM | 0,0773 |


Flicker chart



FFT chart



Light quality control






Light quality control


California's JA10 Test Method

| | |
|-------------------------|-------|
| Flicker percent 1000 Hz | 7,596 |
| Flicker percent 400 Hz | 1,538 |
| Flicker percent 200 Hz | 0,782 |
| Flicker percent 90 Hz | 0,362 |
| Flicker percent 40 Hz | 0,163 |

FFT filtered 1000 Hz




FFT filtered 400 Hz






Light quality control

FFT filtered 200 Hz



FFT filtered 90 Hz



FFT filtered 40 Hz



Light quality control

